Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	183	(predistort\$3 same (power amplifier)) and (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/30 18:38
S2	127	(predistort\$3 same (power amplifier)) and (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/30 18:38
S3	57	((adapt\$3 with predistort\$3) same (power amplifier)) and (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 11:43
S4	0	((adapt\$3 with predistort\$3) same (power amplifier)) same (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table) and ((discontinuos\$3 or (continuos\$3) or dis-continuos\$3) near adapt\$5) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 09:42
S5		((adapt\$3 with predistort\$3) same (power amplifier)) and (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table) and ((discontinuos\$3 or (continuos\$3) or dis-continuos\$3) near adapt\$5) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 09:43

S6	0	((adapt\$3 with predistort\$3) same (power amplifier)) and (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table) and ((discontinuos\$3 or (continuos\$3) or dis-continuos\$3)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 09:43
S7	. 57	((adapt\$3 with predistort\$3) same (power amplifier)) and (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table) and ((discontinuos\$3 or (continuos\$3) or (not continuos\$3) or dis-continuos\$3)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 09:48
<b>S8</b>	0	((adapt\$3 with predistort\$3) same (power amplifier)) and (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table) and ((discontinuos\$3 or (continuos\$3) or (not-continuos\$3) or dis-continuos\$3) same (adapt\$5 or predistort\$4)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 09:47
S9	0	((adapt\$3 with predistort\$3) same (power amplifier)) and (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table) and ((discontinuos\$3 or (continuos\$3) or (not-continuos\$3) or dis-continuos\$3)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @grad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 09:50

S10	38	((adapt\$3 with predistort\$3) same (power amplifier)) and (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table) and ((discontinuous\$3 or (continuous\$3) or (not-continuous\$3) or dis-continuous\$3)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 09:52
S11	26	((adapt\$3 with predistort\$3) same (power amplifier)) and (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table) and ((discontinuous\$3 or (continuous\$3) or (not-continuous\$3) or dis-continuous\$3) same (adapt\$5 or predistort\$4)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 10:00
S12	1	((adapt\$3 with predistort\$3) same (power amplifier)) and (amplitude with phase with distort\$3) and ((reference or ref or lookup or look-up) near table) and ((discontinuous\$3 or (not-continuous\$3) or dis-continuous\$3) same (adapt\$5 or predistort\$4)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 09:52
S13		((adapt\$3 with predistort\$3) same (power amplifier)) and ((reference or ref or lookup or look-up) near table) and ((discontinuous\$3 or (continuous\$3) or (not-continuous\$3) or dis-continuous\$3) with (adapt\$5 or predistort\$4)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 10:09

S14	23	((adapt\$3 with predistort\$3) same (power amplifier)) and ((reference or ref or lookup or look-up) near table) and ((discontinuous\$3 or (continuous\$3) or (not-continuous\$3) or (not\$continuous\$3) or dis-continuous\$3) with (adapt\$5 or predistort\$4)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 10:02
S15	1	((adapt\$3 with predistort\$3) same (power amplifier)) and ((reference or ref or lookup or look-up) near table) and ((discontinuous\$3 or (not-continuous\$3) or (not\$continuous\$3) or dis-continuous\$3) with (adapt\$5 or predistort\$4)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 10:04
S16	27	((adapt\$3 with predistort\$3) same (power amplifier)) and ((time with window) or ((discontinuous\$3 or (continuous\$3) or (not-continuous\$3) or dis-continuous\$3) with (adapt\$5 or predistort\$4))) and ((reference or ref or lookup or look-up) near table) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009" or @qrlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 11:49
S17	9	((adapt\$3 with predistort\$3) same (power amplifier)) and ((time with window) or ((discontinuous\$3 or (not-continuous\$3) or dis-continuous\$3) with (adapt\$5 or predistort\$4))) and ((reference or ref or lookup or look-up) near table) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 11:56

S18	74	((adapt\$3 with predistort\$3) same (power amplifier)) and (((time with window) or (tim\$3)) with (adapt\$5 or predistort\$4)) and ((reference or ref or lookup or look-up) near table) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 18:30
S19	0	((adapt\$3 with predistort\$3) same (power amplifier)) and (((time with window) same (tim\$3)) with (adapt\$5 or predistort\$4)) and ((reference or ref or lookup or look-up) near table) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 11:59
S20	0	((adapt\$3 with predistort\$3) same (power amplifier)) and (((time with window) same (timer)) with (adapt\$5 or predistort\$4)) and ((reference or ref or lookup or look-up) near table) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/10/31 11:59
S21		((adapt\$3 with predistort\$3) same (power amplifier)) and (((time with window) same (timer)) same (adapt\$5 or predistort\$4)) and ((reference or ref or lookup or look-up) near table) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 12:00
S22	0	((adapt\$3 with predistort\$3) same (power amplifier)) and (((time with window) same (timer))) and ((reference or ref or lookup or look-up) near table) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 12:00

	· · · · · · · · · · · · · · · · · · ·	~ <del>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</del>				
S23	8	((adapt\$3 with predistort\$3) same (power amplifier)) and (((time with window))) and ((reference or ref or lookup or look-up) near table) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 12:00
S24	0	((adapt\$3 with predistort\$3) same (power amplifier)) and (((time with window) or (timer\$3)) with (adapt\$5 or predistort\$4)) and ((reference or ref or lookup or look-up) near table) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 12:16
S25	4	((real near predistort\$3) and (complex near predistort\$3)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 18:34
S26	9	((real near predistort\$3)) and (@pd<"20021009" or @ad<"20021009" or @prad<"20021009" or @rlad<"20021009")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 18:34